

# Duraturf®

## SENTRY RANGE



Exclusive to

**BUNNINGS**  
warehouse



# GUARDING YOUR GEAR

[duraturf.co.nz/sentry](http://duraturf.co.nz/sentry)



# WHY SENTRY?

## MORE STRENGTH, BETTER WEATHER PROOFING AND SUPERIOR VALUE FOR MONEY.

### STRONGER SEMI-TIMBER FRAME CONSTRUCTION

- Easy to build panel system
- NZ sourced treated timber
- Rigid frame structure

### SUPERIOR NZ MADE QUALITY

- NZ owned and operated
- Keeping manufacturing local
- Monitored quality control

### ANTI RUST HIGH TENSILE STEEL CLADDING

- Deep ribbed hi-tensile steel
- Roll formed in NZ
- Guaranteed for 20 years

### ADVANCED WATER RUN OFF

- No steel channels
- Water flows away freely
- Prevents leaks and corrosion




### ENVIRONMENTALLY RESPONSIBLE


Helping our environment through using a renewable resource for the framing. Every little bit helps in looking after our ecosystem.

### EASY 4 STEP ASSEMBLY


**01** Construct wall and door panels using the hardware supplied.




**02** Stand up wall panels. Lock timber frame together and fix at corners.



**03** Fix roof in place using weatherseal screws provided.



**04** Fit the door and anchor the shed. If required, fit your flooring to complete your shed.



### SUPERIOR NZ MADE QUALITY

When you invest in a Duratuf Sentry shed, you are investing in a New Zealand made quality product that you can rely on. Manufactured on home turf means that the product is suited to New Zealand conditions. Further to that, only the best of materials are used, from NZ grown timber through to hi-tensile steel and quality fastenings.


Keeping Kiwis in jobs plays an important role in our community and gives the added assurance of controlled quality during manufacture, coupled with a locally backed warranty - we'll be here if you need us!



### ADVANCED WATER RUN OFF

As with all buildings, it is important that water flows away from your garden shed. Trapped water can potentially allow water ingress and then ultimately, corrosion of the steel cladding. Unlike many other sheds, the Duratuf Sentry shed does not have steel channels at the base of the wall. This allows water to drain away unimpeded.

Further to this, when mounting your Sentry shed on a raised concrete floor pad, the assembly can be done in such a way that the steel wall sheets overlap the concrete floor for ultimate weather proofing. Further info on this in the Assembly Instructions.



### ANTI-RUST STEEL CLADDING

The Duratuf Sentry sheds feature a hi-tensile, deep ribbed 0.3mm steel cladding. Roll-formed in our factory in Hamilton, New Zealand, it is available in a classic non-rust Zinc/Aluminium finish, or your choice of four popular colour options (See pages 3 & 9 for all colour options).




For your further peace of mind, Sentry sheds are backed up by a full 20 Year Warranty on all steel cladding. (Conditions apply)




### DURATUF® 3D SHED BUILDER

## DESIGN YOUR DREAM SHED IN 4 EASY STEPS AT WWW.DURATUF.CO.NZ/SHED-BUILDER







# CHOOSING YOUR SHED, MADE EASY IN 3 STEPS!

## SKILLION ROOF SERIES



### Against the house? Against the fence?

The Duratuf SENTRY Skillion series has a roof that slopes to the front enabling it to sit hard against the wall. The perfect space saving solution for storing a large range of household items.

## 1 CHOOSE YOUR SHED SIZE AND ROOF STYLE

Make your choice from 3 roof styles and 16 standard shed sizes.

### SKILLION ROOF SERIES




### LEAN-TO ROOF SERIES



### GABLE ROOF SERIES




### LEAN-TO ROOF SERIES



**SENTRY SS2007**  
BASE SIZE: 2.020W x 0.685D (M)  
DOOR OPENING: 1.440 (M)

COLOUR	SKU	CODE
Zinc	0078628	SS2007 Z
Mist Green	0078630	SS2007 M
Grey Friars	0382944	SS2007 G
Karaka	0078629	SS2007 K
Ebony	0078632	SS2007 E
Floor Kit	0079275	SS2007 F
Clear Roof Panel	232575	SS2007 CRP




## DOUBLE DOOR OPENING

- Wide double door opening for easy access.
- Door opening clearance of just less than 1.5 metres.
- Fits between your house and the fence.



**SENTRY SS1510**  
BASE SIZE: 1.520W x 1.020D (M)  
DOOR OPENING: 0.920 (M)

COLOUR	SKU	CODE
Zinc	232808	SS1510 Z
Mist Green	232802	SS1510 M
Grey Friars	0382943	SS1510 G
Karaka	232799	SS1510 K
Ebony	0078649	SS1510 E
Floor Kit	232565	SS1510 F
Clear Roof Panel	232623	SS1510 CRP



**SENTRY SS2010**  
BASE SIZE: 2.020W x 1.020D (M)  
DOOR OPENING: 0.920 (M)

COLOUR	SKU	CODE
Zinc	232826	SS2010 Z
Mist Green	232818	SS2010 M
Grey Friars	0382942	SS2010 G
Karaka	232813	SS2010 K
Ebony	0078650	SS2010 E
Floor Kit	232572	SS2010 F
Clear Roof Panel	232626	SS2010 CRP

## 2 CHOOSE YOUR FINISH

Roll-formed right here in New Zealand, the Armorsteel cladding is available in a classic non-rust Zinc/Aluminium finish, or your choice of four popular colour options.

All colours shown may not be a 100% colour match to the steel, but are the best match for the print process used.



## 3 CHOOSE YOUR ACCESSORIES

Now that you have decided on the size and colour of your Sentry shed, you can choose from our range of accessories.

The choice of floor is important. Do you need a concrete pad or is the Duratuf Timber Floor Kit the better option? See **page 9** for flooring options, and all other accessories are found on **page 10**.

Actual colours and designs of these sheds may vary slightly from this brochure due to print and lighting variations and ongoing product design development. For further information visit [www.duratuf.co.nz](http://www.duratuf.co.nz)



Against the house? Against the fence?


The Duratuf Sentry Lean-to series is available in 7 practical and popular sizes. The sloping roof design means that water runs off to the rear. A generous front wall height of up to 2020mm gives a spacious interior with plenty of head clearance.



SENTRY SL1507

BASE SIZE: 1.520W x 0.685D (M)  
DOOR OPENING: 0.535 (M)

COLOUR	SKU	CODE
Zinc	232796	SL1507 Z
Mist Green	232788	SL1507 M
Grey Friars	0382949	SL1507 G
Karaka	232783	SL1507 K
Ebony	0078648	SL1507 E
Floor Kit	232523	SL1507 F
Clear Roof Panel	232575	SL1507 CRP



SENTRY SL1515


BASE SIZE: 1.520W x 1.520D (M)  
DOOR OPENING: 0.920 (M)

COLOUR	SKU	CODE
Zinc	232738	SL1515 Z
Mist Green	232732	SL1515 M
Grey Friars	0382953	SL1515 G
Karaka	232729	SL1515 K
Ebony	0078651	SL1515 E
Floor Kit	232528	SL1515 F
Clear Roof Panel	232602	SL1515 CRP

SENTRY SL2515

BASE SIZE: 2.520W x 1.520D (M)  
DOOR OPENING: 0.920 (M)

COLOUR	SKU	CODE
Zinc	232778	SL2515 Z
Mist Green	232768	SL2515 M
Grey Friars	0382947	SL2515 G
Karaka	232759	SL2515 K
Ebony	0078653	SL2515 E
Floor Kit	232533	SL2515 F
Clear Roof Panel	232618	SL2515 CRP



SENTRY SL3015

BASE SIZE: 3.020W x 1.520D (M)  
DOOR OPENING: 1.420 (M)


COLOUR	SKU	CODE
Zinc	0078643	SL3015 Z
Mist Green	0078645	SL3015 M
Grey Friars	0382946	SL3015 G
Karaka	0078644	SL3015 K
Ebony	0078647	SL3015 E
Floor Kit	0078662	SL3015 F
Clear Roof Panel	232618	SL3015 CRP

EASY TIMBER FLOOR KITS

Optional timber floor kits are a good way to create a clean, dry platform up off the ground for storing your valuable gear on.

Sentry floor kits work differently to most other garden shed floors. The floor is fixed inside the shed on the timber bottom plate, creating a strong base for the shed.

The Sentry floor kit contains all the materials that you will need including H4 ground treated joists and floorboards as well as all the hardware required.



SENTRY SL2015


BASE SIZE: 2.020W x 1.520D (M)  
DOOR OPENING: 0.920 (M)

COLOUR	SKU	CODE
Zinc	232754	SL2015 Z
Mist Green	232746	SL2015 M
Grey Friars	0382957	SL2015 G
Karaka	232743	SL2015 K
Ebony	0078652	SL2015 E
Floor Kit	232562	SL2015 F
Clear Roof Panel	232613	SL2015 CRP

SENTRY SL1020

BASE SIZE: 1.020W x 2.020D (M)  
DOOR OPENING: 0.920 (M)

COLOUR	SKU	CODE
Zinc	0078633	SL1020 Z
Mist Green	0078635	SL1020 M
Grey Friars	0382954	SL1020 G
Karaka	0078634	SL1020 K
Ebony	0078637	SL1020 E
Floor Kit	0078660	SL1020 F
Clear Roof Panel	N/A	N/A



SENTRY SL1520


BASE SIZE: 1.520W x 2.020D (M)  
DOOR OPENING: 0.920 (M)

COLOUR	SKU	CODE
Zinc	0078638	SL1520 Z
Mist Green	0078640	SL1520 M
Grey Friars	0382952	SL1520 G
Karaka	0078639	SL1520 K
Ebony	0078642	SL1520 E
Floor Kit	0078661	SL1520 F
Clear Roof Panel	N/A	N/A



Need more space for bigger gear?

This range of medium sized Duratuf Sentry Gable sheds provides plenty of space for your larger items. Stow away your bikes, BBQ's and mowers. There's plenty of room to move in any of these three functional sizes.



SENTRY SG2020

BASE SIZE: 2.020W x 2.020D (M)  
DOOR OPENING: 0.920 (M)


COLOUR	SKU	CODE
Zinc	232642	SG2020 Z
Mist Green	232629	SG2020 M
Grey Friars	0382956	SG2020 G
Karaka	232636	SG2020 K
Ebony	0078654	SG2020 E
Floor Kit	232536	SG2020 F
Clear Roof Panel	232582	SG2020 CRP

OPTIONAL CLEAR ROOF PANEL

Clear Roof Panels provide UV free natural daylight in your shed. These are available as an option with any Sentry shed, and fits in place of one steel roof sheet.




Note: Clear Roof Panels may condensate more than steel panels.




SENTRY SG2520

BASE SIZE: 2.520W x 2.020D (M)  
DOOR OPENING: 0.920 (M)

COLOUR	SKU	CODE
Zinc	232660	SG2520 Z
Mist Green	232654	SG2520 M
Grey Friars	0382945	SG2520 G
Karaka	232649	SG2520 K
Ebony	0078655	SG2520 E
Floor Kit	232541	SG2520 F
Clear Roof Panel	232585	SG2520 CRP



SG2020, SG2520 & SG3020




SENTRY SG3020

BASE SIZE: 3.020W x 2.020D (M)  
DOOR OPENING: 1.420 (M)

COLOUR	SKU	CODE
Zinc	232702	SG3020 Z
Mist Green	232690	SG3020 M
Grey Friars	0382948	SG3020 G
Karaka	232687	SG3020 K
Ebony	0078656	SG3020 E
Floor Kit	232549	SG3020 F
Clear Roof Panel	232593	SG3020 CRP

Bigger and better...


The large Duratuf Sentry Gable sheds provide maximum storage capacity and the 3.0m models cater nicely for ride-on mower and quad bike access. The unique '1 full door + a half door' system on the 3.0m series means they can be used as a single door shed if necessary, maximising the usable wall space.




SENTRY SG2525

BASE SIZE: 2.520W x 2.520D (M)  
DOOR OPENING: 0.920 (M)

COLOUR	SKU	CODE
Zinc	232680	SG2525 Z
Mist Green	232666	SG2525 M
Grey Friars	0382955	SG2525 G
Karaka	232663	SG2525 K
Ebony	0078657	SG2525 E
Floor Kit	232546	SG2525 F
Clear Roof Panel	232588	SG2525 CRP



SG2525 & SG3025



SENTRY SG3025

BASE SIZE: 3.020W x 2.520D (M)  
DOOR OPENING: 1.420 (M)


COLOUR	SKU	CODE
Zinc	232714	SG3025 Z
Mist Green	232708	SG3025 M
Grey Friars	0382951	SG3025 G
Karaka	232705	SG3025 K
Ebony	0078658	SG3025 E
Floor Kit	232552	SG3025 F
Clear Roof Panel	232596	SG3025 CRP



SENTRY SG3030

BASE SIZE: 3.020W x 3.020D (M)  
DOOR OPENING: 1.420 (M)

COLOUR	SKU	CODE
Zinc	232726	SG3030 Z
Mist Green	232720	SG3030 M
Grey Friars	0382950	SG3030 G
Karaka	232717	SG3030 K
Ebony	0078659	SG3030 E
Floor Kit	232557	SG3030 F
Clear Roof Panel	232599	SG3030 CRP



SG3030

DOOR & A HALF SYSTEM

This double door system creates a single large door for easy everyday access, and an additional smaller door that opens up for larger items such as ride on mowers, bikes & kayaks.



SG3025 Shown in Mist Green





## RECOMMENDED FLOORING OPTIONS

SG2020 Shown in Zinc

### Timber Floor Kit Option

Sentry sheds have the option of a pre-cut H3 treated timber floor kit.

This floor sits up on the 45mm H4 treated base plate keeping your gear elevated above any damp surface. Sentry timber floors make an excellent base, are quick to install and give excellent rigidity to the whole shed.




### Concrete Pad Option

Nothing is more versatile than a Sentry shed should you choose to pour a raised concrete base. Simply follow the instructions through the installation process to elevate the bottom timber plate. This will enable the wall cladding to protrude below the base plate, stopping water flowing inside the shed and ensuring a weather tight pad.

Note - Ensure that the base substrate is compacted firmly. We suggest that the slab should be 80mm thick in the middle and 100mm thick around the edges (Fig 2).

The raised slab size should be 15mm smaller than the overall base size of the shed and at least 40mm above the ground line (Fig. 1).



## COLOUR OPTIONS

Colours may vary from illustrations.



## OPTIONAL ACCESSORIES

\*Optional extras may incur freight charges when ordered separately.



### TIMBER FLOOR KIT


Designed to fit snugly inside your Sentry shed, the floor kit includes all materials and fixings needed for easy installation.



### PEG DOWN KIT

Anchor your Sentry shed down securely in sand or dirt substrates.

- 6 x H5 treated timber Pegs
- 6 x Stainless steel screws



### CLEAR ROOF PANEL

Provides UV free, natural daylight and fits in place of one steel roof sheet.

Please note that clear panels may condensate more than steel.



### BOLT DOWN KIT

Mount your Sentry shed securely to a concrete base.

- 6 x Unique galvanised hold-down brackets
- 6 x 10mm Dynabolts and 6x screws



### 5 TIER SHELF UNIT

Bolt free interlocking kitset frame with MDF shelves and 350kg load rating per shelf.

Size: 0.90m W x 0.40m D x 1.80m high.



### HEAVY DUTY WORKBENCH

Lock together construction with MDF shelves.

Size: 1.14m W x 0.50m D x 0.90m H.



### SHED ALARM

- Ultra loud 130db alarm
- 60 degree infrared beam detects movement up to 6 metres away
- Easy to program 4 digit code
- Uses 4 x AA Batteries (not included)



### DURATUF HAND RIVETER

This quality Duratuf rivet gun comes complete with 4 different sized nozzles, these include:

\*2.4mm, \*3.2mm, \*4.0mm and \*4.8mm

- Approx size of rivet gun: 242mm

## TOOLS REQUIRED







[duratuf.co.nz/sentry](https://duratuf.co.nz/sentry)

Customer Helpline (weekdays)

**Call 0800 GET A SHED | 0800 438 274**

Riverlea Group Ltd | PO Box 11062 | Hamilton 3251 | New Zealand | +64 7 847 0204

DOWNLOAD ME

