

Duratuf[®]

GUARDIAN RANGE

HI TENSILE STEEL CLADDING
**NO
RUST**

SEMI TIMBER
FRAME

20 YEAR STEEL CLADDING
20
WARRANTY

**NEW
ZEALAND
MADE** [®]



✓ Economical ✓ Simple to assemble ✓ Built to last

YOUR GEAR IN SAFEKEEPING

Available exclusively through
MITRE 10

duratuf.co.nz/guardian

SUPERIOR NZ MADE QUALITY

When you invest in a Duratuf Guardian shed, you are investing in a New Zealand made quality product that you can rely on. Manufactured on home turf means that the product is suited to New Zealand conditions. Further to that, only the best of materials are used, from NZ grown timber through to premium hi-tensile steel and quality fastenings.

Keeping Kiwis in jobs plays an important role in our community and gives the added assurance of controlled quality during manufacture, coupled with a locally backed warranty - we'll be here if you need us!



TREATED TIMBER TOP & BOTTOM PLATE

Guardian sheds incorporate a treated 45 x 45mm timber plate top and bottom that locks together at the corners. As well as providing superior strength it creates an excellent platform to enable you to shelve out your shed, hang up your valuable gear and maximise your storage capacity.



STRONGER SEMI-TIMBER FRAME CONSTRUCTION

- Easy to build panel system
- NZ sourced treated timber
- Rigid frame structure

NZ MADE SUPERIOR QUALITY


- NZ owned and operated
- Keeping manufacturing local
- Monitored quality control

ANTI RUST HIGH TENSILE STEEL CLADDING

- Deep ribbed 0.3mm steel
- Roll formed in NZ
- Guaranteed for 20 years

ADVANCED WATER RUN OFF

- No steel channels
- Water flows away freely
- Prevents leaks and corrosion



ENVIRONMENTALLY RESPONSIBLE

Helping our environment through using a renewable resource for the framing. Every little bit helps in looking after our ecosystem.



DOOR & HALF SYSTEM

This double door system creates a single large door for easy everyday access, and an extra smaller door that opens up for the larger items such as ride on mowers, bikes & kayaks.


- Wide double door opening for easy access
- Width of more than 1.4 metres with the doors fully open

ADVANCED WATER RUN OFF

As with all buildings, it is important that water flows away from your garden shed. Trapped water can potentially allow water ingress and then ultimately, corrosion of the steel cladding.

Unlike many other sheds, the Duratuf Guardian shed does not have steel channels at the base of the wall. This allows water to drain away unimpeded.

Further to this, when mounting your Guardian shed on a raised concrete floor pad, the assembly can be done in such a way that the steel wall sheets overlap the concrete floor for ultimate weather proofing. Further info on this in the Assembly Instructions.



ANTI-RUST STEEL CLADDING

The Duratuf Guardian sheds feature a hi-tensile, deep ribbed 0.30 gauge steel cladding. Roll-formed in our factory in Hamilton, New Zealand, it is available in a classic non-rust Zinc/Aluminium finish, or your choice of four popular colour options (See page 3 for all colour options).

For your further peace of mind, the Smartstore shed is backed up by a full 20 Year Warranty on all steel cladding. (Conditions apply)




MORE STRENGTH, EASY ASSEMBLY, BETTER WEATHER PROOFING AND SUPERIOR VALUE FOR MONEY.

EASY 4 STEP ASSEMBLY SYSTEM


STEP 1

Construct wall and door panels using the hardware supplied.



STEP 2

Stand up wall panels. Lock timber frame together and fix at corners.




STEP 3

Fix roof in place using weatherseal nails provided.



STEP 4

Fit floor and anchor shed.



OPTIONAL EASY TIMBER FLOOR KITS


Optional timber floor kits are a good way to create a clean, dry platform up off the ground for storing your valuable gear on. Smartstore floor kits work differently to most other garden shed floors. The floor is fixed inside the shed on the timber bottom plate, creating a strong base for the shed.

The Smartstore floor kit contains all the materials that you will need including H4 ground treated joists and floorboards (cut to size) as well as the hardware required.



OPTIONAL CLEAR ROOF PANELS

The double sided clear roof panel provides UV free natural daylight for your Smartstore garden shed or Workshop. For the gable shed range it includes two single clear roof panels to cover both sides of the central ridge beam for additional light. These clear roof panels are ideal for the larger garden sheds or for those who are using their garden shed as a work space. Please note that clear panels may condensate more than steel.



3 Easy Steps To Choose The Perfect Shed!

1. CHOOSE YOUR SIZE & ROOF STYLE

Skillion Roof

Roof slopes to the front - ideal for up against the house to ensure that any rainwater runs to the front.



1.690 W x 0.685 D (M)
MODEL: GS62 PAGE: 7



2.190 W x 0.685 D (M)
MODEL: GS72 PAGE: 7



1.690 W x 1.020 D (M)
MODEL: GS63 PAGE: 7



2.190 W x 1.020 D (M)
MODEL: GS73 PAGE: 7

Lean-To Roof

Roof slopes to the rear - perfect for against the fence or in the open as water runs away from the door area.



1.020 W x 2.020 D (M)
MODEL: GL37 PAGE: 9



1.520 W x 2.020 D (M)
MODEL: GL57 PAGE: 9



1.690 W x 1.520 D (M)
MODEL: GL65 PAGE: 10



2.190 W x 1.520 D (M)
MODEL: GL75 PAGE: 10



2.190 W x 1.520 D (M)
MODEL: GL75D PAGE: 10



2.690 W x 1.520 D (M)
MODEL: GL95 PAGE: 11



2.690 W x 1.520 D (M)
MODEL: GL95D PAGE: 11



3.190 W x 1.520 D (M)
MODEL: GL105 PAGE: 11

Gable Roof

Slopes away from the centre - the strongest option for larger sheds, while providing extra headroom in the centre.



2.190 W x 2.020 D (M)
MODEL: GG77 PAGE: 13



2.690 W x 2.020 D (M)
MODEL: GG97 PAGE: 13



2.690 W x 2.520 D (M)
MODEL: GG99 PAGE: 14



3.190 W x 2.020 D (M)
MODEL: GG107 PAGE: 14




3.190 W x 2.520 D (M)
MODEL: GG109 PAGE: 14



3.190 W x 3.020 D (M)
MODEL: GG101 PAGE: 14

2. CHOOSE YOUR COLOUR

Roll-formed right here in New Zealand, the steel cladding is available in a classic non-rust Zinc/Aluminium finish, or your choice of four popular colour options.



Zinc/Aluminium



Mist Green



Ironsand



Grey Friars



Ebony

Colours may vary from illustrations.

3. CHOOSE YOUR ACCESORIES

Looking for an upgrade?

Now that you have decided on the size and colour of your Guardian shed, you can choose from our range of accessories.

The choice of floor is important. Do you need a concrete pad or is the Duratuf Timber Floor Kit the better option? See page 10 for flooring options, and all other accessories are found on page 15.

Design Your Dream Shed

Customise Any Model
With Our 3D Shed Builder
at duratuf.co.nz/shed-builder




SKILLION ROOF SERIES

Roof slopes to the front - ideal for up against the house to ensure that any rainwater runs to the front.

Brilliant space saving solution.

Need storage against the house or hard against the fence? The Duratuf Guardian Skillion series has a roof that slopes to the front and enables it to sit hard against the wall. Great for storing a large range of household items.



GUARDIAN GS62


BASE SIZE: 1.690W x 0.685 D (M)

DOOR OPENING: 0.920 (M)

COLOUR	SKU	CODE
Zinc	297858	GS62 Z
Mist Green	297862	GS62 M
Grey Friars	402106	GS62 G
Ironsand	297860	GS62 I
Ebony	297859	GS62 E
Floor Kit	307151	GS62 FL
CRP	307149	GS62CRP



GS62 & GS72



GUARDIAN GS72

BASE SIZE: 2.190W x 0.685 D (M)


DOOR OPENING: 1.420 (M)

COLOUR	SKU	CODE
Zinc	297863	GS72 Z
Mist Green	297867	GS72 M
Grey Friars	402108	GS72 G
Ironsand	297865	GS72 I
Ebony	297864	GS72 E
Floor Kit	307152	GS72 FL
CRP	307149	GS72CRP



Double Door Opening

- Wide door opening for easy access
- Width of more than 1.4 metres with the doors fully open - fits between your house and the fence




GUARDIAN GS63


BASE SIZE: 1.690W x 1.020 D (M)

DOOR OPENING: 0.920 (M)

COLOUR	SKU	CODE
Zinc	109862	GS63 Z
Mist Green	109863	GS63 MG
Grey Friars	402107	GS63 G
Ironsand	203921	GS63 I
Ebony	297850	GS63 E
Floor Kit	109866	GS63 FL
CRP	109867	GS63CRP



GS63 & GS73



GUARDIAN GS73

BASE SIZE: 2.190W x 1.020 D (M)

DOOR OPENING: 0.920 (M)

COLOUR	SKU	CODE
Zinc	109868	GS73 Z
Mist Green	109869	GS73 MG
Grey Friars	402109	GS73 G
Ironsand	203922	GS73 I
Ebony	297851	GS73 E
Floor Kit	109872	GS73 FL
CRP	109867	GS73CRP

LEAN-TO ROOF SERIES

Roof slopes to the rear – perfect for against the fence or in the open as water runs away from the door area.




Available in six practical and popular sizes.

The Duratuf Lean-To Roof series has a sloping roof that ensures that rain-water doesn't pool like on a flat roof. Water run-off is to the rear. A generous front wall height gives plenty of head clearance and 920mm wide single door or a 1420mm double door opening option creating a roomy and spacious interior.

Utilise Wasted Space

Do you have a spot in your backyard that is wasted and just growing weeds and filling up with junk? Turn it into valuable dry storage space now with new Guardian "Narrow" shed models.



GL37 & GL57



GUARDIAN GL57

BASE SIZE: 1.520W x 2.020 D (M)

DOOR OPENING: 0.920 (M)


COLOUR	SKU	CODE
Zinc	297873	GL57 Z
Mist Green	297877	GL57 M
Grey Friars	402102	GL57 G
Ironsand	297875	GL57 I
Ebony	297874	GL57 E
Floor Kit	307154	GL57 FL
CRP	307150	GL57CRP

GUARDIAN GL37

BASE SIZE: 1.020W x 2.020 D (M)


DOOR OPENING: 0.920 (M)

COLOUR	SKU	CODE
Zinc	297868	GL37 Z
Mist Green	297872	GL37 M
Grey Friars	402101	GL37 G
Ironsand	297870	GL37 I
Ebony	297869	GL37 E
Floor Kit	307153	GL37 FL
CRP	307150	GL37CRP



Optional Clear Roof Panel



Clear roof panels provide UV free natural daylight in your shed. These are available as an option with any Guardian shed, and fits in place of one steel roof sheet.



GL65 Shown in Ironsand

Note: Clear roof panels may condensate more than steel panels.

LEAN-TO ROOF




GUARDIAN GL65

BASE SIZE: 1.690 W x 1.520 D (M)

DOOR OPENING: 0.920 (M)

COLOUR	SKU	CODE
Zinc	109873	GL65 Z
Mist Green	109874	GL65 MG
Grey Friars	402103	GL65 G
Ironsand	203923	GL65 I
Ebony	297852	GL65 E
Floor Kit	109877	GL65 FL
CRP	109878	GL65CRP



GL65, GL75 & GL75D

GUARDIAN GL75

BASE SIZE: 2.190 W x 1.520 D (M)

DOOR OPENING: 0.920 (M)

COLOUR	SKU	CODE
Zinc	109879	GL75 Z
Mist Green	109880	GL75 MG
Grey Friars	402104	GL75 G
Ironsand	203924	GL75 I
Ebony	297853	GL75 E
Floor Kit	109883	GL75 FL
CRP	109878	GL75CRP





GUARDIAN GL75D

BASE SIZE: 2.190 W x 1.520 D (M)

DOOR OPENING: 1.420 (M)

COLOUR	SKU	CODE
Zinc	402083	GL75D Z
Mist Green	402081	GL75D MG
Grey Friars	402079	GL75D G
Ironsand	402080	GL75D I
Ebony	402082	GL75D E
Floor Kit	109883	GL75 FL
CRP	109878	GL75CRP




GL95, GL95D & GL105

GUARDIAN GL95D

BASE SIZE: 2.690 W x 1.520 D (M)

DOOR OPENING: 1.420 (M)

COLOUR	SKU	CODE
Zinc	402088	GL95D Z
Mist Green	402086	GL95D MG
Grey Friars	402084	GL95D G
Ironsand	402085	GL95D I
Ebony	402087	GL95D E
Floor Kit	109888	GL95 FL
CRP	109878	GL95CRP




GUARDIAN GL95

BASE SIZE: 2.690 W x 1.520 D (M)

DOOR OPENING: 0.920 (M)

COLOUR	SKU	CODE
Zinc	109884	GL95 Z
Mist Green	109885	GL95 MG
Grey Friars	402105	GL95 G
Ironsand	203925	GL95 I
Ebony	297854	GL95 E
Floor Kit	109888	GL95 FL
CRP	109878	GL95CRP




GUARDIAN GL105

BASE SIZE: 3.190 W x 1.520 D (M)

DOOR OPENING: 1.420 (M)

COLOUR	SKU	CODE
Zinc	402093	GL105 Z
Mist Green	402091	GL105 MG
Grey Friars	402089	GL105 G
Ironsand	402090	GL105 I
Ebony	402092	GL105 E
Floor Kit	402096	GL105 F
CRP	N/A	N/A



RECOMMENDED FLOORING OPTIONS

Timber Floor Kit Option

Guardian sheds have the option of a pre-cut H3 treated timber floor kit.

This floor sits up on the 45mm H4 treated base plate keeping your gear elevated above any damp surface. Guardian timber floors make an excellent base, are quick to install and give excellent rigidity to the whole shed.




Timber Floor Option

Concrete Pad Option

Nothing is more versatile than a Guardian shed should you choose to pour a raised concrete base. Simply follow the instructions through the installation process to elevate the bottom timber plate. This will enable the wall cladding to protrude below the base plate, stopping water flowing inside the shed and ensuring a weather tight pad.

Note - Ensure that the base substrate is compacted firmly. We suggest that the slab should be 80mm thick in the middle and 100mm thick around the edges (Fig 2).

The raised slab size should be 15mm smaller than the overall base size of the shed and at least 30mm above the ground line (Fig. 1).



Concrete Pad Option

GABLE ROOF SERIES

Slopes away from the centre – the strongest option for larger sheds, whilst also providing extra headroom in the centre.



12 GG77 Shown in Mist Green

Need more space for bigger gear?

The Duratuf Guardian Gable sheds are available in sizes as big as 3.190m x 3.020m, and with the gable roof there is even more head room! Stash your bike, your BBQ or your fishing gear. There is plenty of room for this, and more!




GUARDIAN GG77

BASE SIZE: 2.190W x 2.020 D (M)

DOOR OPENING: 0.920 (M)

COLOUR	SKU	CODE
Zinc	109889	GG77 Z
Mist Green	109890	GG77 MG
Grey Friars	402099	GG77 G
Ironsand	203926	GG77 I
Ebony	297855	GG77 E
Floor Kit	109893	GG77 FL
CRP	109894	GG77CRP




GUARDIAN GG97


BASE SIZE: 2.690W x 2.020 D (M)

DOOR OPENING: 1.420 (M)

COLOUR	SKU	CODE
Zinc	109895	GG97 Z
Mist Green	109896	GG97 MG
Grey Friars	402100	GG97 G
Ironsand	203927	GG97 I
Ebony	297856	GG97 E
Floor Kit	109899	GG97 FL
CRP	109894	GG97CRP



GG77 & GG97



Big On Roof Strength

With bigger garden sheds, it's especially important that they have a strong framing system to support the larger walls and the bigger roof span.

The Guardian gable roofed sheds not only have the timber wall frames for strength, but also a strong timber ridge beam structure to support the bigger span. Don't settle for anything less!



GG97 Shown in Zinc




GUARDIAN GG99

BASE SIZE: 2.690 W x 2.520 D (M)

DOOR OPENING: 1.420 (M)

COLOUR	SKU	CODE
Zinc	402078	GG99 Z
Mist Green	402076	GG99 MG
Grey Friars	402074	GG99 G
Ironsand	402075	GG99 I
Ebony	402077	GG99 E
Floor Kit	402097	GG99 F
CRP	402110	GG25CRP





GUARDIAN GG107

BASE SIZE: 3.190 W x 2.020 D (M)

DOOR OPENING: 1.420 (M)

COLOUR	SKU	CODE
Zinc	402073	GG107 Z
Mist Green	402071	GG107 MG
Grey Friars	402069	GG107 G
Ironsand	402070	GG107 I
Ebony	402072	GG107 E
Floor Kit	402095	GG107 F
CRP	N/A	N/A




GG99, GG107, GG109 & GG101

GUARDIAN GG109

BASE SIZE: 3.190 W x 2.520 D (M)

DOOR OPENING: 1.420 (M)

COLOUR	SKU	CODE
Zinc	402068	GG109 Z
Mist Green	402066	GG109 MG
Grey Friars	402064	GG109 G
Ironsand	402065	GG109 I
Ebony	402067	GG109 E
Floor Kit	402094	GG109 F
CRP	402110	GG25CRP




GUARDIAN GG101

BASE SIZE: 3.190 W x 3.020 D (M)

DOOR OPENING: 1.420 (M)

COLOUR	SKU	CODE
Zinc	109900	GG101 Z
Mist Green	109901	GG101 MG
Grey Friars	402098	GG101 G
Ironsand	203928	GG101 I
Ebony	297857	GG101 E
Floor Kit	109904	GG101 FL
CRP	109905	GG101CRP



CONCRETE SLAB SPECIFICATION TABLE

MODEL	WIDTH (mm)	DEPTH (mm)	MODEL	WIDTH (mm)	DEPTH (mm)	MODEL	WIDTH (mm)	DEPTH (mm)
GS62	1675	670	GL65	1675	1505	GG77	2175	2005
GS63	1675	1005	GL75	2175	1505	GG97	2675	2005
GS72	2175	670	GL75D	2175	1505	GG99	2675	2505
GS73	2175	1005	GL95	2675	1505	GG101	3175	3005
GL37	1005	2005	GL95D	2675	1505	GG107	3175	2005
GL57	1505	2005	GL105	3175	1505	GG109	3175	2505

OPTIONAL ACCESSORIES

*Optional extras may incur freight charges when ordered separately.



TIMBER FLOOR KIT

Designed to fit snugly inside your Guardian shed, the floor kit includes all materials and fixings needed for easy installation.

SKU: 235282



PEG DOWN KIT

Used to anchor your Guardian shed down to sand or soil substrates.


Kit includes 6 x H5 pegs and stainless steel screws. Tools required; Sledge hammer and screwdriver.

SKU: 235283



BOLT DOWN KIT

The Duratuf Bolt-down kit is used to mount your Guardian shed securely to a concrete base, with a unique bracket which tightly clamps the base plate to the concrete floor. All fixings included.



CLEAR ROOF PANEL

Provides UV free, natural daylight and fits in place with one steel roof sheet.

Please note that clear panels may condensate more than steel.

SKU: 235284



5 TIER SHELF UNIT

Bolt free interlocking kitset frame with MDF shelves and 350kg load rating per shelf.

Size: 0.90m W x 0.40m D x 1.80m high.

SKU: 235285



HEAVY DUTY WORKBENCH

Lock together construction with MDF shelves.

Size: 1.14m W x 0.50m D x 0.90m H.

SKU: 129231



SHED ALARM

- Ultra loud 130db alarm
- 60 degree infrared beam detects movement up to 6 metres away
- Easy to program 4 digit code
- Uses 4 x AA Batteries (not included)

TOOLS REQUIRED





YOUR GEAR IN SAFEKEEPING

duratuf.co.nz/guardian

Duratuf[®]
GUARDIAN

Customer Helpline (weekdays)

Call 0800 GET A SHED | 0800 438 274

Riverlea Group Ltd | PO Box 11062 | Hamilton 3251 | New Zealand | +64 7 847 0204

DOWNLOAD ME

